

Sheet1

Cost	Item #	Item Name
	Model:1095	Open-end-mini-tramp
	Model:1096	Double mini-tramp
	Model:1079	Mini-tramp
	Model:1086	trampoline track unfoldable
	Model:1085	trampoline track foldable
	Model:1088-1	Tumbling track
	Model:1088-4	Mixed single springboard
	Model:AS-600	ACROSPORT competition tumbling track
	Model:1090	XPE foam cover laminated with non-woven carpet
	Model:1091	XPE foam cover laminated with nylon carpet
	1072-2	jumping bed 428x214cm, nylon webbing
	Model:1001-1	Specifications: competition standard, No rail is glued with plywood: steel frame is
	Model:1018	Single rail bar(high)
	Model:1019	Single rail bar(low)
	Model:1005	Competition Horizontal bar

Sheet1

Model:1007	Uneven bars
Model:1039	Special pad on the uneven bars
Model:1138	platform for uneven bars
Model:1015	Rings
Model:1036	Competition landing mats for rings
Model:1010	low training beam
Model:1010-1	low training beam
Model:1009	Balance beam
Model: 1040	competition landing mats for balance beam
Model:1009-P	PU pad for Balance beam
Model:1013	competition pommel horse
Model:1035	landing mats for pommel horse
Model:1020	floor pommel horse
Model:1020-1	floor pommel horse
Model:1023	floor buck horse with 2 pommel
Model:1025	floor buck horse with 1 pommel
Model:1057	height adjustable mushroom
Model:1022-1	Large mushroom
Model:1024	Mushroom with one pommel
Model:1067	Competition Springboard (Hard version)

Sheet1

Model:1141	Competition Springboard (Soft version)
Art No 1017-2	Description Competition standard - Tot
Art-No:1034	landing Mats for vaulting horse
Art-No:1036	landing Mats for rings
Art-No:1033	landing Mats for parallel bars
Art-No:1035	landing Mats for pommel horse
Art-No:1040	landing Mats for balance beam
Art-No:1039	landing Mats for uneven bars
Art-No:1032	landing Mats for horizontal bar
Model:1012	Competition Vaulting table with one leg
Model:1004	parallel bars for kids
Art-No◆◆1052	Description◆◆Height:100-150cm Leng
Art-No◆◆1008	Description◆◆Low Bar Height: 90-140c
Art-No◆◆1098	Description◆◆Height 120-170cm dista

Gymnastics equipments for kids

5MK-02

5MK-09

5MK-14

5MK-18

5MK-15

horizontal bar for kids

Model: 1005-5 spesification: adjustable height of rail 1.

Sheet1

Item Description

Specifications: Length 140cm, width 130cm, adjustable height 40-60cm, jumping bed 90cmx64cm, 28 springs, Foldable.

Specifications: 340x190x(70+45)cm, jumping bed 285x92cm, 13X13 nylon webbed bed

Specifications: 126cmx126cm, 70x70cm, 6X6mm nylon web bed, 40springs

Specifications: width 200cm, height 70cm, nylon webbed bed, length of each section 2m, chosen length totally 4m 6m 8m 10m 12m 14m 16m 18m 20m, unfoldable but unload,

Specifications: width 200cm, height 70cm, nylon webbed bed length of each section 186cm, chosen length totally 7.44m 9.3m 11.16m 13.02m 14.88m 16.74m 18.6m. foldable,

Specifications: Competition Rod Tumbling Strip with Matting and Landing Zone Competition standard - 4220 X 184X30cm, the main runway composed of fiberglass rods. Run-up area 1100x100cm. Landing Zone: 300x600x30cm

Specifications: meet international standards, through the NSCC describes authentication. 4220 x 200 x 30 cm (run-up area is 1100 x 100 cm, jumping area is 2520 x 200 cm, in fall 600 x 300 x 30 cm), jumping by glass fiber reinforced plastic area rectangular tubes to form. Stick the surface, the rest of the domestic and imported.

Specifications: ACROSPORT Competition Rod Tumbling Strip with Matting and Landing Zone FIG approved, 4220x 200x 30cm length of runway area: 1100cm. Landing zone: 300x 600x 30cm.

Specifications: 2520x200x9cm, XPE material,

Specifications: 2520x184x9cm, XPE material,

g 4x4cm

SCC approved. height 145-210cm, distance between rails 37-65cm, length 350cm. A fiberglass powder painted.

Specifications: height adjustment between from 220cm-265cm. Rail diameter 40mm, plywood is glued to fiberglass rails.

Specifications: height adjustment between from 140cm-185cm. Rail diameter 40mm, plywood is glued to fiberglass rails.

Specifications: competition standard, NSCC approved, stainless spring steel diameter 2.8cm, adjustable height from 270 to 290cm, double cables system.

Sheet1

Specifications: competition standard, NSCC approved. Adjustable width 130-190cm, adjustable low-bar 140-180cm, adjustable high-bar 220-260cm. out-diameter 4cm

Specifications: competition standard, NSCC approved. Thickness 20cm, the total area 28M². made of polyurethane foam and P-foam, PVC vinyl cover.

Specifications: 100x45cm, height 120-160cm

Specifications: competition standard, NSCC approved. the height of rings can adjustment between 250cm-285cm. Distance between two rings is 50cm. Ring diameter 2.8cm, Inner diameter 18cm. plastic coated cables, and powder painted steel frame.

Specifications: competition standard, NSCC approved. thickness 20cm, totally area 10M², made of polyurethane foam and P-foam, PVC vinyl cover.

Specifications: Length 300cm, height 30cm. Aluminum alloy beams.

Specifications: Length 500cm, height 30cm.

Specifications: competition standard, NSCC approved. adjustable height 70-125cm, length 500cm. PU covered.

Specifications: competition standard, NSCC approved. Thickness 20cm, total area 48M². Made of PVC vinyl, polyurethane foam and P-foam.

Specifications: PU leather in the front, PVC artificial leather for the back, 25 kg/m, polyurethane foam for inside. 100◆◆100◆◆1.5cm

Specifications: competition standard, NSCC approved. leather covered, adjustable height 110-150cm. diameter 3.4cm, chain and tensional parts under the horse belly.

Specifications: competition standard, NSCC approved. thickness 10cm. total area 16M². made of PVC vinyl, P-foam material.

Specifications: length 160cm, width 35cm, High 28cm. Leather covered

Specifications: length 160cm, width 35cm, High 28cm. PU covered.

Specifications: 85X35X32cm, with 2 pommels

Specifications: 65X35X32cm. with 1 pommel

Specifications: Diameter 60cm, adjustable height 60-80cm

Specifications: Diameter 120cm, High 45cm.

Specifications: diameter 60cm, high 45cm. diameter of pommel 3.4cm

Specifications: Competition standard, 60x120x22 cm

Sheet1

Specifications: Competition standard, 60x120x22 cm

al Area 14m x 14m Competition Area 12X12m, High Quality Nylon Carpet. with EPDM

Specifications:Competition standard, Height adjustable 105-135cm.Width 95cm

Specifications:height 1.4-1.9m, adjustable width. Rail length 1.9m, steel frame powder painted

th of low bar 166 cm,adjustable Width

cm High Bar Height:140-190cm. Steel frame powder painted

nce between two rings 50cm

4-1.9m, length of rail 1.66m ,steel frame powder painted.